

Initial Models and Serialisability in Abstract Dialectical Frameworks (Extended Abstract)

Lars Bengel, Matthias Thimm

Artificial Intelligence Group, University of Hagen, Germany

{lars.bengel, matthias.thimm}@fernuni-hagen.de

1 Introduction

In this work we consider the *abstract dialectical framework* (ADF) (Brewka et al. 2013), which has emerged as a very powerful generalisation of the *abstract argumentation framework* (AF) (Dung 1995), an important formalism in the area of knowledge representation and reasoning. An AF is a directed graph, where the nodes represent abstract arguments and the edges represent attacks among them. In an ADF, the relations between the arguments are more general and are represented by *acceptance conditions*, i. e., (propositional) logical formulae that specify the conditions under which arguments may be accepted.

Formal semantics for ADFs are given through functions that determine three-valued models that satisfy the acceptance conditions in a certain way. In particular, the classical admissibility-based semantics of Dung have been generalised to ADFs (Brewka et al. 2013).

As the name suggests, ADFs are inspired by dialectics (Brewka et al. 2013). An important element of dialectics is procedurality, i. e., the fact that arguments are put forward sequentially and are then followed by counter-arguments (Hage 2000). While this aspect is modelled well on the syntactic level in ADFs, on the semantical side this aspect is somewhat lost, just like in the case of AFs. Consider the ADF in Figure 1, where acceptance conditions of arguments are placed right above them (we will provide formal definitions in Section 2). We have that a and b can only be accepted if the other is rejected, meaning they form a sort of atomic conflict that must be resolved. Only after resolving this conflict, for example by accepting a and rejecting b , can we turn to the remaining arguments and evaluate them properly. Now, rejecting b directly implies that c must also be rejected and in turn that we shall accept d afterwards. On the other hand, if we accept b and reject a in the initial conflict, that implies that we accept c and subsequently reject d . If we only consider the resulting admissible model that assigns the respective truth values, we disregard this information about the reasoning process of the argumentation performed to arrive at the conclusion.

An approach to address this is *serialisability* for AFs, which provides a non-deterministic iterative construction scheme for extensions, based on initial sets (Thimm 2022). An initial set (Xu and Cayrol 2018) is thereby defined as a non-empty, minimal admissible set, essentially represent-




Figure 1: An ADF \mathcal{D} , a and b are in a conflict, while b supports c and the argument d may only be accepted if c is rejected.

ing a minimal semantical unit of the AF. An extension can be represented by *serialisation sequences*, i. e., sequences of initial sets that represent an order in which the extension can be built. In this work, we characterise initial models for ADFs and generalise the notion of serialisation sequences to ADFs as a tool for the dialectical evaluation of ADFs.

The full version of the presented work has been published in (Bengel and Thimm 2025).

2 Background

An *abstract dialectical framework* (ADF) is a tuple $\mathcal{D} = (\mathcal{A}, \mathcal{L}, \mathcal{C})$ where \mathcal{A} is a set of arguments, $\mathcal{L} \subseteq \mathcal{A} \times \mathcal{A}$ is a set of links and \mathcal{C} is a set of propositional formulae $\{\phi_a\}_{a \in \mathcal{A}}$ over \mathcal{A} , called *acceptance conditions*. Reasoning in ADFs is performed via three-valued propositional interpretations $v : \mathcal{A} \mapsto \{t, f, u\}$ that satisfy all acceptance conditions, called *models*. We will also write $a \mapsto x$ instead of $v(a) = x$ and omit assignments to u for readability. We consider the following partial order \leq_i : $u <_i t$, $u <_i f$ and no other pair in $<_i$. For two interpretations v_1, v_2 we define $v_1 \leq_i v_2$ iff $v_1(a) \leq_i v_2(a)$ for all $a \in \mathcal{A}$. For two models v_1, v_2 , let $v_1 \sqcap v_2$ be the *consensus*, i. e., the model that takes the assignments where both v_1 and v_2 coincide and assigns u otherwise. For some three-valued interpretation v , we define the set of *completions* $[v]_2$ as $[v]_2 = \{v' \mid v \leq_i v', (v')^{-1}(u) = \emptyset\}$.

For the semantic evaluation of an ADF \mathcal{D} we then define the *characteristic operator* $\Gamma_{\mathcal{D}}$ which computes for a model v the consensus of all its completions for every $a \in \mathcal{A}$ as

$$\Gamma_{\mathcal{D}}(v)(a) = \bigcap \{v'(\phi_a) \mid v' \in [v]_2\}.$$

An interpretation $v : \mathcal{A} \mapsto \{t, f, u\}$ is then called *admissible* in \mathcal{D} iff $v \leq_i \Gamma_{\mathcal{D}}(v)$.

3 Characterising Initial Models and Serialisation Sequences in ADFs

First, we define the *initial models* of an ADF as those models that are admissible and minimal wrt. the information ordering \leq_i , excluding the model v_u that assigns u to all arguments.

Definition 1. Let $\mathcal{D} = (\mathcal{A}, \mathcal{L}, \mathcal{C})$ be an ADF. An interpretation $v : \mathcal{A} \mapsto \{t, f, u\}$ is called an *initial model* of \mathcal{D} , iff v is admissible with $v \neq v_u$ and there is no admissible model $v' \neq v_u$ with $v' <_i v$. $\text{is}(\mathcal{D})$ denotes the initial models.

The initial models then represent the atomic semantic building blocks of ADF semantics.

Example 1. Consider again the ADF \mathcal{D} in Figure 1. There are two initial models for \mathcal{D} : $v_1 = \{a \mapsto t, b \mapsto f\}$ and $v_2 = \{a \mapsto f, b \mapsto t\}$. Note that for both a and b assigning them to t means that the other must necessarily be assigned f in order to have a valid admissible model. Note also that for the latter initial model v_2 , while $v_2(\phi_c) = t$, due to the minimality c is still assigned u .

We now characterise admissibility for ADFs in terms of serialisation sequences, i.e. sequences of initial models. First, we generalise the notion of the *reduct* in the sense of (Baumann, Brewka, and Ulbricht 2020) to ADFs. For some model v , we define the v -reduct \mathcal{D}^v of \mathcal{D} as the ADF where all arguments that are evaluated to t or f by v are removed and their occurrence in the acceptance condition of some other argument is replaced by \top or \perp respectively. The intuition being that the reduct of an ADF \mathcal{D} wrt. some model v represents the part of the ADF that is unresolved by v .

Definition 2. Let $\mathcal{D} = (\mathcal{A}, \mathcal{L}, \mathcal{C})$ be an ADF and $v : \mathcal{A} \mapsto \{t, f, u\}$ is a three-valued interpretation. Then we define the v -reduct of \mathcal{D} as the ADF $\mathcal{D}^v = (\mathcal{A}', \{\phi'_a\}_{a \in \mathcal{A}'})$ where

$$\begin{aligned}\mathcal{A}' &= \mathcal{A} \setminus \{a \in \mathcal{A} \mid v(a) \neq u\}, \\ \mathcal{C}' &= \{\phi'_a\}_{a \in \mathcal{A}'}\end{aligned}$$

with $x \in \{t, f\}$ and $\phi'_a = \phi_a^{[b/x : v(b)=x]}$.

For two non-conflicting models v_1, v_2 , let $v_1 \sqcup v_2$ be the union of v_1 and v_2 . We now define the concept of the *serialisation sequence* for ADFs as a series of initial models of the respective reducts.

Definition 3. A *serialisation sequence* for $\mathcal{D} = (\mathcal{A}, \mathcal{L}, \mathcal{C})$ is a sequence $\mathcal{Y} = (v_1, \dots, v_n)$ with $v_1 \in \text{is}(\mathcal{D})$ and for each $2 \leq i \leq n$ we have that $v_i \in \text{is}(\mathcal{D}^{v_1 \sqcup \dots \sqcup v_{i-1}})$.

Based on the above results, we can then show that the union of all initial models v_i in some serialisation sequence $\mathcal{Y} = (v_1, \dots, v_n)$ corresponds directly to an admissible model. In particular, we can characterise the admissible models for ADFs in this way.

Theorem 1. A serialisation sequence $\mathcal{Y} = (v_1, \dots, v_n)$ induces an admissible model $v = v_1 \sqcup \dots \sqcup v_n$ and for every admissible model there is at least one such sequence.

A serialisation sequence is then essentially a procedural representation of an admissible model and there can be multiple sequences corresponding to an admissible model. This

means serialisation sequences provide a more fine-grained semantical representation for ADFs compared to the simple model-based representation.

Example 2. Consider again the ADF \mathcal{D} in Figure 1. Consider for instance the sequence

$$(\{a \mapsto t, b \mapsto f\}, \{c \mapsto f\}, \{d \mapsto t\}).$$

As shown in Example 1, $v_1 = \{a \mapsto t, b \mapsto f\}$ is an initial model of \mathcal{D} . We then consider the reduct \mathcal{D}^{v_1} with $\phi_c = \perp$ and $\phi_d = \neg c$. It is easy to see that after resolving a and b , the only initial model of the reduct is $v_2 = \{c \mapsto f\}$. Finally, in the reduct $\mathcal{D}^{v_1 \sqcup v_2}$, we have only $\phi_d = \top$ and thus the initial model $v_3 = \{d \mapsto t\}$. This matches exactly the intuition described in the introduction and is also the only serialisation sequence for the admissible model $v_1 \sqcup v_2 \sqcup v_3$. Alternatively there is also the unique serialisation sequence

$$(\{a \mapsto f, b \mapsto t\}, \{c \mapsto t\}, \{d \mapsto f\})$$

for the only other maximal admissible model of \mathcal{D} .

By putting restrictions on the serialisation sequences, e.g., maximal length, we can then also characterise other admissibility-based semantics for ADFs.

4 Conclusion

In this work, we considered abstract dialectical frameworks and introduced the notion of initial models. Most importantly, we defined serialisation sequences for ADFs which allow us to characterise admissibility-based semantics in a more expressive, procedural form. In the full paper, we also investigated the computational complexity of tasks related to initial models.

References

- Baumann, R.; Brewka, G.; and Ulbricht, M. 2020. Revisiting the foundations of abstract argumentation - semantics based on weak admissibility and weak defense. In *The Thirty-Fourth AAAI Conference on Artificial Intelligence, AAAI 2020*, 2742–2749. AAAI Press.
- Bengel, L., and Thimm, M. 2025. Initial models and serialisability in abstract dialectical frameworks. In *Proceedings of the Thirty-fourth International Joint Conference on Artificial Intelligence, IJCAI 2025*. ijcai.org.
- Brewka, G.; Strass, H.; Ellmauthaler, S.; Wallner, J. P.; and Woltran, S. 2013. Abstract dialectical frameworks revisited. In *Proceedings of the 23rd International Joint Conference on Artificial Intelligence, IJCAI 2013*, 803–809.
- Dung, P. M. 1995. On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and n-person games. *Artificial Intelligence* 77(2):321–358.
- Hage, J. 2000. Dialectical models in artificial intelligence and law. *Artificial Intelligence and Law* 8(2/3):137–172.
- Thimm, M. 2022. Revisiting initial sets in abstract argumentation. *Argument & Computation* 13(3):325–360.
- Xu, Y., and Cayrol, C. 2018. Initial sets in abstract argumentation frameworks. *Journal of Applied Non-Classical Logics* 28(2-3):260–279.